

Birdlife Australia Gluepot Reserve

PLANT SPECIES LIST

These are species recorded by various observers. Species in **bold** have been vouchered. The list is being continually updated

NATIVE SPECIES

| Species name | Common name |
|--|------------------------------|
| <i>Acacia acanthoclada</i> | Harrow Wattle |
| <i>Acacia aneura</i> | Mulga |
| <i>Acacia brachybotrya</i> | Grey Mulga |
| <i>Acacia colletioides</i> | Wait a While |
| <i>Acacia hakeoides</i> | Hakea leaved Wattle |
| <i>Acacia halliana</i> | Hall's Wattle |
| <i>Acacia ligulata</i> | Sandhill Wattle |
| <i>Acacia nyssophylla</i> | Prickly Wattle |
| <i>Acacia oswaldii</i> | Boomerang Bush |
| <i>Acacia rigens</i> | Needle Wattle |
| <i>Acacia sclerophylla</i> var. <i>sclerophylla</i> | Hard Leaved Wattle |
| <i>Acacia wilhelmiana</i> | Wilhelm's Wattle |
| <i>Actinobole uliginosum</i> | Flannel Cudweed |
| <i>Alectryon oleifolius</i> ssp. <i>canescens</i> | Bullock Bush |
| <i>Amphipogon caricinus</i> | Long Grey Beard Grass |
| <i>Amyema miquelii</i> | Box Mistletoe |
| <i>Amyema miraculosa</i> ssp. <i>boormanii</i> | Fleshy Mistletoe |
| <i>Amyema preissii</i> | Wire Leaved Acacia Mistletoe |
| <i>Angianthus tomentosus</i> | Hairy Cup Flower |
| <i>Atriplex acutibractea</i> | Pointed Salt Bush |
| <i>Atriplex rhagodioides</i> | Spade Leaved Salt Bush |
| <i>Atriplex stipitata</i> | Bitter Salt Bush |
| <i>Atriplex vesicaria</i> | Bladder Salt Bush |
| <i>Austrodanthonia caespitosa</i> | Wallaby Grass |
| <i>Austrodanthonia pilosa</i> | Wallaby Grass |
| <i>Austrostipa elegantissima</i> | Elegant Spear Grass |
| <i>Austrostipa hemipogon</i> | Half Beard Spear grass |
| <i>Austrostipa nitida</i> | Balcarra Spear grass |
| <i>Austrostipa scabra</i> ssp. <i>falcata</i> | Rough Spear Grass |
| <i>Austrostipa scabra</i> ssp. <i>scabra</i> | Rough Spear Grass |
| <i>Austrostipa tuckeri</i> | Tucker's Spear grass |
| <i>Baeckea crassifolia</i> | Desert Baeckea |
| <i>Baeckea ericaea</i> | Mat baeckea |
| <i>Bertya tasmanica</i> ssp. <i>vestita</i> | Mitchell's Bertya |
| <i>Beyeria lechenaultii</i> | Mallefowl Bush |
| <i>Beyeria opaca</i> | Smooth Wallaby Bush |
| <i>Billardiera cymosa</i> | Sweet Apple Berry |
| <i>Boronia coerulescens</i> ssp. <i>coerulescens</i> | Blue Boronia |
| <i>Brachyscome ciliaris</i> | Variable Daisy |
| <i>Brachyscome debilis</i> | Weak daisy |
| <i>Brachyscome lineariloba</i> | Hard Headed Daisy |
| <i>Brachyscome trachycarpa</i> | Smooth Daisy |
| <i>Bulbine alata</i> | Winged Bulbine Lily |
| <i>Bulbine semibarbata</i> | Leek Lily |

Birdlife Australia Gluepot Reserve

PLANT SPECIES LIST

These are species recorded by various observers. Species in **bold** have been vouchered. The list is being continually updated

| | |
|---|-------------------------------|
| <i>Calandrinia calyptрата</i> | Pink Parakeelya |
| <i>Calandrinia eremaea</i> | Desert Parakeelya |
| <i>Callitris gracilis</i> | Southern Cyprus Pine |
| <i>Callitris verrucosa</i> | Scrub Cyprus Pine |
| <i>Calotis hispidula</i> | Bogan Flea |
| <i>Carpobrotus modestus</i> | Inland Pigface |
| <i>Cassytha melantha</i> | Coarse Dodder Laurel |
| <i>Casuarina pauper</i> | Black Oak |
| <i>Centipeda cunninghamii</i> | Common Sneezeweed |
| <i>Centipeda thespidioides</i> | Desert Sneezeweed |
| <i>Chenopodium auricomum</i> | Golden Goosefoot |
| <i>Chenopodium curvispicatum</i> | Cottony Goosefoot |
| <i>Chenopodium desertorum ssp. desertorum</i> | Frosted Goosefoot |
| <i>Chenopodium desertorum ssp. rectum</i> | Erect Goosefoot |
| <i>Chenopodium melanocarpum f. melanocarpum</i> | Black Goosefoot |
| <i>Chrysocephalum apiculatum</i> | Common Everlasting |
| <i>Codonocarpus cotinifolius</i> | Native Poplar |
| <i>Comesperma scoparium</i> | Broom Milkwort |
| <i>Convolvulus angustissimus ssp angustissimus</i> | Australian Bindweed |
| <i>Crassula colorata ssp colorata</i> | Dense Stonecrop |
| <i>Crassula tetramera</i> | Australian Stonecrop |
| <i>Cratystylis conocephala</i> | Bluebush Daisy |
| <i>Cryptandra sp. Floriferous</i> | Pretty Cryptandra |
| <i>Cryptandra propinqua</i> | Silky Cryptandra |
| <i>Cullen discolor</i> | Prostrate Scurf Pea |
| <i>Dampiera lanceolata var lanceolata</i> | Grooved Dampiera |
| <i>Dampiera marifolia</i> | Velvet Dampiera |
| <i>Dampiera rosmarinifolia</i> | Rosemary Dampiera |
| <i>Daviesia benthamii ssp. acanthoclada</i> | Dry land Bitter Pea |
| <i>Daviesia benthamii ssp. humilis R</i> | Mallee Bitter Pea |
| <i>Dianella revoluta var. revoluta</i> | Black Anther Flax Lily |
| <i>Dissocarpus paradoxus</i> | Cannonball |
| <i>Dodonaea bursariifolia</i> | Small Hop Bush |
| <i>Dodonaea stenozyga</i> | Desert Hop Bush |
| <i>Dodonaea viscosa ssp. angustissima</i> | Narrow Leaved Hop Bush |
| <i>Duboisia hopwoodii</i> | Pitchuri |
| <i>Duma diclina</i> | Twiggy Lignum |
| <i>Dysphania cristata</i> | Crested Goosefoot |
| <i>Dysphania glomulifera ssp. glomulifera</i> | Globular Crumb Weed |
| <i>Einadia nutans ssp. nutans</i> | Climbing Salt Bush |
| <i>Enchylaena tomentosa var. tomentosa</i> | Ruby Salt Bush |
| <i>Eragrostis dielsii var dielsii</i> | Mulka |
| <i>Eremophila alternifolia</i> | Narrow Leaved Emu Bush |
| <i>Eremophila crassifolia</i> | Thick leaved Emu Bush |
| <i>Eremophila desertii</i> | Turkey Bush |
| <i>Eremophila glabra ssp. glabra</i> | Tar Bush |
| <i>Eremophila glabra ssp. Murray</i> | Spooner's Emu Bush |
| <i>Eremophila longifolia</i> | Weeping Emu Bush |
| <i>Eremophila maculata ssp. maculata</i> | Spotted Emu Bush |
| <i>Eremophila oppositifolia</i> | Opposite Leaved Emu Bush |
| <i>Eremophila scoparia</i> | Scotia Bush |

Birdlife Australia Gluepot Reserve

PLANT SPECIES LIST

These are species recorded by various observers. Species in **bold** have been vouchered. The list is being continually updated

| | |
|---|-------------------------------|
| <i>Eremophila sturtii</i> | Turpentine Bush |
| <i>Eriochiton sclerolaenoides</i> | Woolly Fruited Blue Bush |
| <i>Erodium crinitum</i> | Blue Stork's Bill |
| <i>Eucalyptus calycogona</i> | Square Fruited Mallee |
| <i>Eucalyptus dumosa</i> | Red Mallee |
| <i>Eucalyptus gracilis</i> | Graceful Mallee |
| <i>Eucalyptus incrassata</i> | Urn Fruited Mallee |
| <i>Eucalyptus leptophylla</i> | Narrow Leaved Mallee |
| <i>Eucalyptus oleosa</i> | Oily Mallee |
| <i>Eucalyptus socialis</i> | Pointed Cap Mallee |
| <i>Euphorbia tannensis</i> | Desert Spurge |
| <i>Eutaxia microphylla</i> | Common Eutaxia |
| <i>Exocarpos aphyllus</i> | Native Cherry |
| <i>Exocarpos sparteus</i> | Slender Cherry |
| <i>Frankenia pauciflora</i> var <i>gunnii</i> | Southern Sea Heath |
| <i>Geijera linearifolia</i> | Sheep Bush |
| <i>Gnephosis tenuissima</i> | Dwarf Golden Tip |
| <i>Goodenia pinnatifida</i> | Cut Leaved Goodenia |
| <i>Goodenia varia</i> | Sticky Goodenia |
| <i>Goodenia willisiana</i> | Slender Goodenia |
| <i>Grammosolen dixonii</i> | Dixon's Ray Flower |
| <i>Grevillea huegelii</i> | Comb Spider Flower |
| <i>Grevillea pterosperma</i> | Sandhill Grevillea |
| <i>Hakea leucoptera</i> ssp. <i>leucoptera</i> | Silver needle Bush |
| <i>Hakea mitchellii</i> | Heath Needle Bush |
| <i>Halgania cyanea</i> | Rough Blue Flower |
| <i>Haloragis odontocarpa</i> forma <i>pterocarpa</i> | Tooth Leaved Haloragus |
| <i>Helichrysum leucopsideum</i> | Satin Everlasting |
| <i>Hibbertia virgata</i> | Twiggy Guinea Flower |
| <i>Hybanthus floribundus</i> ssp. <i>floribundus</i> | Shrub Violet |
| <i>Isoetopsis graminifolia</i> | Grass Cushion |
| <i>Lawrencia squamata</i> | Thorny Lawrencia |
| <i>Lemooria burkittii</i> | Wires and Wool |
| <i>Lepidium leptopetalum</i> | Shrubby Peppergrass |
| <i>Lepidium phlebopetalum</i> | Veined Peppergrass |
| <i>Leucopogon rufus</i> | Ruddy Beard Heath |
| <i>Logania nuda</i> | Leafless Logania |
| <i>Lomandra effusa</i> | Scented Mat Rush |
| <i>Lomandra leucocephala</i> ssp. <i>robusta</i> | Woolly Mat Rush |
| <i>Lycium australe</i> | Australian Box Thorn |
| <i>Lysiana exocarpi</i> ssp. <i>exocarpi</i> | Harlequin Mistletoe |
| <i>Maireana appressa</i> | Pale Fruited Blue Bush |
| <i>Maireana brevifolia</i> | Yanga Bush |
| <i>Maireana ciliata</i> | Hairy Fissure Weed |
| <i>Maireana decalvans</i> | Black Cotton Bush |
| <i>Maireana erioclada</i> | Rosy Blue Bush |
| <i>Maireana georgei</i> | Satiny Blue Bush |
| <i>Maireana pentatropis</i> | Erect mallee Blue Bush |
| <i>Maireana pyramidata</i> | Black Blue Bush |
| <i>Maireana radiata</i> | Radiate Blue Bush |
| <i>Maireana sedifolia</i> | Pearl Blue Bush |

Birdlife Australia Gluepot Reserve

PLANT SPECIES LIST

These are species recorded by various observers. Species in **bold** have been vouchered. The list is being continually updated

| | |
|--|---------------------------------|
| <i>Maireana trichoptera</i> | Hairy Fruited Blue Bush |
| <i>Maireana triptera</i> | Three Winged Blue Bush |
| <i>Maireana turbinata</i> | Top Fruited Blue Bush |
| <i>Marsilea costulifera</i> | Narrow leaved Nardoo |
| <i>Marsilea drummondii</i> | Common Nardoo |
| <i>Melaleuca lanceolata</i> | Inland Tea Tree |
| <i>Menkea australis</i> | Fairy Spectacles |
| <i>Micromyrtus ciliata</i> | Fringed Heath Myrtle |
| <i>Myoporum platycarpum</i> | Sugar Wood |
| <i>Nicotiana goodspeedii</i> | Small Flowered Nicotiana |
| <i>Nicotiana velutina</i> | Velvet Nicotiana |
| <i>Nitraria billardieri</i> | Nitre Bush |
| <i>Olearia magniflora</i> | Splendid Daisy Bush |
| <i>Olearia muelleri</i> | Mueller's Daisy Bush |
| <i>Olearia passerinoides ssp. passerinoides</i> | Sticky Daisy Bush |
| <i>Olearia pimeleoides ssp. pimeleoides</i> | Grey Daisy Bush |
| <i>Olearia rudis</i> | Azure Daisy Bush |
| <i>Olearia subspicata</i> | Spiked Daisy Bush |
| <i>Oxalis perennans</i> | Native Sour Sob |
| <i>Phebalium bullatum</i> | Silvery Bullatum |
| <i>Phebalium lowanense</i> | Lowan Phebalium |
| <i>Pimelea microcephala ssp. microcephala</i> | Shrubby Rice Flower |
| <i>Pimelea simplex ssp. simplex</i> | Desert Rice Flower |
| <i>Pimelea trichostachya</i> | Spiked Rice Flower |
| <i>Pittosporum angustifolium</i> | Native Apricot |
| <i>Plantago turrifera</i> | Crowned Plantain |
| <i>Podolepis capillaris</i> | Invisible Plant |
| <i>Podolepis rugata var. rugata</i> | Pleated Copper Wire Daisy |
| <i>Pododthea angustifolia</i> | Stick Long Heads |
| <i>Polycalymma stuartii</i> | Poached Egg Daisy |
| <i>Prostanthera aspalathoides</i> | Scarlet Mint Bush |
| <i>Pseudognaphalium luteoalbum</i> | Jersey Cud Weed |
| <i>Pterostylis biseta</i> | Two Bristle Green Hood |
| <i>Pterostylis aff. nana</i> | Dwarf Mallee Green Hood |
| <i>Ptilotus exaltatus var. exaltatus</i> | Pink Mulla Mulla |
| <i>Ptilotus obovatus var. obovatus</i> | Silver Mulla Mulla |
| <i>Ptilotus seminudus</i> | Rabbit's Tails |
| <i>Ptilotus spathulatus f. spathulatus</i> | Pussy Tails |
| <i>Pultenaea densifolia</i> | Dense Bush Pea |
| <i>Radyera farragei</i> | Desert Rose Mallow |
| <i>Ranunculus pumilio var. pumilio</i> | Ferny Buttercup |
| <i>Rhagodia parabolica</i> | Mealy Salt Bush |
| <i>Rhagodia spinescens</i> | Spiny Salt Bush |
| <i>Rhagodia ulicina</i> | Prickly Salt Bush |
| <i>Rhyncharrhena linearis</i> | Mallee Rhyncharrhena |
| <i>Salsola kali</i> | Roly Poly |
| <i>Santalum acuminatum</i> | Quandong |
| <i>Santalum murrayanum</i> | Bitter Quandong |
| <i>Scaevola spinescens</i> | Spiny Fan Flower |
| <i>Schoenus subaphyllus</i> | Desert Bog Rush |
| <i>Sclerolaena diacantha</i> | Grey Copper Burr |

Birdlife Australia Gluepot Reserve

PLANT SPECIES LIST

These are species recorded by various observers. Species in **bold** have been vouchered. The list is being continually updated

| | |
|--|----------------------------------|
| <i>Sclerolaena obliquicuspis</i> | Oblique Copper Burr |
| <i>Sclerolaena parviflora</i> | Small Flowered Copper Burr |
| <i>Sclerolaena patenticuspis</i> | Spear Fruited Copper Burr |
| <i>Senecio glossanthus</i> | Annual Groundsel |
| <i>Senna artemisioides ssp. artemisioides</i> | Silver Senna |
| <i>Senna artemisioides ssp. coriacea</i> | Thick Leaved Senna |
| <i>Senna artemisioides ssp. filifolia</i> | Fine leaved Senna |
| <i>Senna artemisioides ssp. petiolaris</i> | Flat leaved Senna |
| <i>Senna artemisioides ssp. quadrifolia</i> | Quad leaved Senna |
| <i>Setaria basiclada</i> | Panic grass |
| <i>Sida intricata</i> | Twiggy Sida |
| <i>Solanum coactiliferum</i> | Felted Potato Bush |
| <i>Solanum esuriale</i> | Potato Bush |
| <i>Sporobolus mitchellii</i> | Rat's Tail Couch |
| <i>Stemodia florulenta</i> | Blue Rod |
| <i>Stenanthemum leucophractum</i> | White Cryptandra |
| <i>Stenopetalum lineare</i> | Narrow Thread Petal |
| <i>Stenopetalum sphaerocarpum</i> | Wiry Thread Petal |
| <i>Swainsona oliveri</i> | Oliver's Swainsona |
| <i>Swainsona microphylla</i> | Small Leaved Swainsona |
| <i>Templetonia egena</i> | Broom Bush |
| <i>Tetragonia eremaea</i> | Desert Native Spinach |
| <i>Tetragonia tetragonioides</i> | Native Spinach |
| <i>Teucrium albicaule</i> | Scurfy Germander |
| <i>Teucrium racemosum</i> | Grey Germander |
| <i>Thysanotus baueri</i> | Mallee Fringe Lily |
| <i>Triodia scariosa</i> | Spinifex |
| <i>Velleia connata</i> | Cup Velleia |
| <i>Vittadinia cervicularis var cervicularis</i> | Fuzz Weed |
| <i>Vittadinia dissecta var. hirta</i> | Dissected Fuzz Weed |
| <i>Wahlenbergia gracilentia</i> | Desert Bluebell |
| <i>Waitzia acuminata var. acuminata</i> | Orange Immortal |
| <i>Westringia rigida</i> | Stiff Westringia |
| <i>Xerochrysum bracteatum</i> | Golden Everlasting |
| <i>Zygophyllum ammophilum</i> | Sand Twin Leaf |
| <i>Zygophyllum apiculatum</i> | Pointed Twin Leaf |
| <i>Zygophyllum aurantiacum ssp auranticum</i> | Shrubby Twin Leaf |
| <i>Zygophyllum eremaeum</i> | Desert Twin Leaf |
| <i>Zygophyllum glaucum</i> | Pale Twin Leaf |
| <i>Zygophyllum idiocarpum</i> | Violet Twin Leaf |
| <i>Zygophyllum ovatum</i> | Dwarf Twin Leaf |
| | |
| | |
| INTRODUCED SPECIES (38) | |
| | |
| *<i>Asphodelos fistulosus</i> | Onion Weed |
| *<i>Carduus tenuiflorus</i> | Slender Thistle |
| *<i>Carrichtera annua</i> | Ward's Weed |
| *<i>Centaurea melitensis</i> | Maltese Cockspur |
| *<i>Centaurium erythraea</i> | Pink Stars |

Birdlife Australia Gluepot Reserve

PLANT SPECIES LIST

These are species recorded by various observers. Species in **bold** have been vouchered. The list is being continually updated

| | |
|---|---------------------------------|
| * <i>Centaurium tenuiflorum</i> | Branched Centaury |
| * <i>Chenopodium album</i> | Fat Hen |
| * <i>Cirsium vulgare</i> | Spear Thistle |
| * <i>Conyza bonariensis</i> | Flax Leaved Fleabane |
| * <i>Cucumis myriocarpus</i> | Paddy Melon |
| * <i>Dittrichia graveolens</i> | Stinkwort |
| * <i>Heliotropium curassavicum</i> | Smooth Leaved Heliotrope |
| * <i>Heliotropium europaeum</i> | Common Heliotrope |
| * <i>Heliotropium supinum</i> | Flat Heliotrope |
| * <i>Herniaria cineria</i> | Dense Mat Plant |
| * <i>Malva parviflora</i> | Marshmallow |
| * <i>Marrubium vulgare</i> | Horehound |
| * <i>Medicago minima</i> var. <i>minima</i> | Clover |
| * <i>Mesembryanthemum crystallinum</i> | Ice Plant |
| * <i>Mesembryanthemum nodiflorum</i> | Small Flowered Ice Plant |
| * <i>Nicotiana glauca</i> | Tobacco Bush |
| * <i>Onopordum acaulon</i> | Stemless Thistle |
| * <i>Opuntia robusta</i> | Prickly Pear |
| * <i>Plantago bellardii</i> | Plantain |
| * <i>Psilocaulon granulicaule</i> | Match Head Plant |
| * <i>Reichardia tingitana</i> | False Sow Thistle |
| * <i>Reseda luteola</i> | Wild Mignonette |
| * <i>Salvia verbenaca</i> | Wild Sage |
| * <i>Schismus barbatus</i> | Arabian Grass |
| * <i>Sisymbrium erysimoides</i> | Smooth Mustard |
| * <i>Sisymbrium officinale</i> | Indian Hedge Mustard |
| * <i>Solanum nigrum</i> | Black Nightshade |
| * <i>Sonchus oleraceus</i> | Common Sow Thistle |
| * <i>Spergularia rubra</i> | Sand Spurrey |
| * <i>Urtica urens</i> | Stinging nettle |
| * <i>Verbena supina</i> | Trailing Verbena |
| * <i>Xanthium spinosum</i> | Bathurst Burr |