

## The Ants of Gluepot

This list has been compiled from a number of surveys, although most were collected during the Scientific Expedition Group's November 2000 survey. The SEG collections were from the Biological Survey sites. The number of sites and the plant communities from which a taxon was recorded are included where known.

The Gluepot species lists are being continually added to and this page will be periodically updated to reflect new records.

Updated:

Last update: December 2000

Name **Bold** signifies that the species has been vouchered from Gluepot Reserve. All on this list have been vouchered because invertebrates can rarely be named without the examination of vouchers.

spinifex = vegetation with *Triodia* understorey

casuarina = *Casuarina pauper* woodland on heavy soils

mallee = Mallee shrublands on brown soils

bluebush = *Myoporum* and Mallee woodlands with *Maireana astrotricha* understorey

Scientific name	Common name	Sites recorded	Gluepot habitat notes
MYRMECIINAE			
<b><i>Myrmecia ?desertorum</i></b> (dull)		1	spinifex
<b><i>Myrmecia ?desertorum</i></b> (shiny)		2	spinifex
<b><i>Myrmecia fucosa</i></b>		1	spinifex
<b><i>Myrmecia fuscipes</i></b>		1	casuarina
<b><i>Myrmecia harderi</i></b>		3	casuarina
<b><i>Myrmecia</i> sp. nr. <i>harderi</i></b>		1	spinifex
<b><i>Myrmecia varians</i></b>		2	casuarina, mallee
PONERINAE			
<b><i>Rhytidoponera ?maniae</i></b>		21	spinifex, mallee,

		casuarina
<b><i>Rhytidoponera ?mayri</i></b>	13	casuarina (7), spinifex, (6), mallee (1)
<b><i>Rhytidoponera metallica</i></b>	7	casuarina, spinifex
<b><i>Rhytidoponera</i> sp. nr. <i>metallica</i></b>	4	spinifex, mallee
CERAPACHYINAE		
<b><i>Cerapachys</i> sp. nr. <i>brevis</i></b>	1	mallee
<b><i>Cerapachys</i> sp. A (<i>fervidus</i> gp.)</b>	1	mallee
MYRMICINAE		
<b><i>Podomyrma adelaidae</i></b>	2	spinifex
DOLICHODERINAE		
<b><i>Iridomyrmex agilis</i></b>	6	casuarina, bluebush, mallee
<b><i>Iridomyrmex discors</i></b>	1	spinifex
<b><i>Iridomyrmex lividus</i></b>	2	casuarina
<b><i>Iridomyrmex purpureus</i></b>	1	casuarina
FORMICINAE		
<b><i>Calomyrmex cyanea</i></b>	2	casuarina, spinifex
<b><i>Camponotus amperi</i></b>		
<b><i>Camponotus armstrongi</i></b>	2	mallee, spinifex
<b><i>Camponotus</i> sp. nr. <i>aurocinctus</i></b>	4	spinifex
<b><i>Camponotus</i> sp. nr. <i>capito</i></b>	1	mallee
<b><i>Camponotus clarior</i></b>	4	spinifex, mallee
<b><i>Camponotus</i> sp. nr. <i>consobrinus</i></b>	3	casuarina

<b><i>Camponotus ephippium</i></b>	5	mallee, casuarina
<b><i>Camponotus gouldianus</i></b>	12	mallee (7), spinifex (3), bluebush (2)
<b><i>Camponotus ?minutum</i></b>	2	bluebush
<b><i>Camponotus loweryi</i></b>	2	mallee, casuarina
<b><i>Camponotus nigriceps</i></b>	7	casuarina (4), bluebush, mallee, spinifex
<b><i>Camponotus piliventris</i></b>	4	casuarina
<b><i>Camponotus tricoloratus</i></b>	3	casuarina, mallee
<b><i>Camponotus</i> sp. A</b> ( <i>subnitidus</i> gp)		
<b><i>Camponotus</i> sp. B</b> ( <i>subnitidus</i> gp)	1	casuarina
<b><i>Camponotus</i> sp. C</b> ( <i>subnitidus</i> gp)		
<b><i>Camponotus</i> sp. D</b> ( <i>subnitidus</i> gp)	1	spinifex
<b><i>Camponotus</i> sp. E</b> ( <i>claripes</i> gp)		
<b><i>Camponotus</i> sp. F</b> ( <i>claripes</i> gp)	1	spinifex
<b><i>Camponotus</i> sp. G</b> ( <i>claripes</i> gp)		
<b><i>Camponotus</i> sp. H</b> ( <i>discors</i> gp)		
<b><i>Camponotus</i> sp. I</b> ( <i>discors</i> gp)	6	mallee, spinifex
<b><i>Camponotus</i> sp. J</b> ( <i>discors</i> gp)	6	mallee, spinifex, casuarina
<b><i>Camponotus</i> sp. K</b> ( <i>evae</i> gp)	1	spinifex
<b><i>Camponotus</i> sp. L</b> ( <i>evae</i> gp)	1	spinifex
<b><i>Camponotus</i> sp. N</b> ( <i>nigroaeneus</i> )	5	mallee, spinifex, casuarina
<b><i>Camponotus</i> sp. O</b> ( <i>eave</i>	3	mallee, spinifex

gp)

<b>Camponotus sp. P</b> ( <i>ceriseipes</i> gp)	1	mallee
<b>Camponotus sp. Q</b> ( <i>claripes</i> gp.)	1	spinifex
<b>Camponotus sp. R</b> ( <i>rubiginosus</i> gp)	2	mallee, spinifex
<b>Camponotus sp. T</b> ( <i>nigroaeneus</i> gp)	1	spinifex
<b>Camponotus sp. U</b>	1	mallee
<b>Camponotus sp. V</b> ( <i>ceriseipes</i> gp)	1	mallee
<b>Camponotus sp. X</b> ( <i>nigroaeneus</i> gp.)	1	casuarina
<b>Camponotus tasmani</b>	1	casuarina
<b>Camponotus whitei</b>		
<b>Melophorus sp. nr. bagoti</b>	2	spinifex
<b>Melophorus sp. A</b> ( <i>aeneovirens</i> gp)	4	mallee, bluebush, casuarina
<b>Melophorus sp. B</b>	6	mallee, casuarina
<b>Melophorus iridescens</b>	1	spinifex
<b>Opisthopsis rufithorax</b>	2	casuarina
<b>Polyrhachis sp. nr. patiens</b>	2	mallee, casuarina
<b>Polyrhachis perthensis</b>	1	mallee
<b>Polyrhachis sp. A</b> ( <i>schwiedlandi</i> gp)	1	spinifex
<b>Polyrhachis sp. B</b> ( <i>sidnica</i> gp.)	2	spinifex
<b>Polyrhachis sp. C</b> ( <i>sidnica</i> gp)	1	mallee
<b>Polyrhachis sp. D</b> ( <i>sidnica</i> gp)		
<b>Polyrhachis sp. E</b> ( <i>schwiedlandi</i> sp.)	1	spinifex

[To top of page](#)  
[Back](#)